




Gauge =  $5.5$  sts/inch  
 on Cotton DK  $1$  Rows/inch

Button Band  
 BB =  $1''$

21



x gauge =  $5.5$  stA/inch  
 = NO. of sts  
 For BB :  $6$  sts.  
 Space:

Row 1 & all WS Rows = Purl.


Row 2 (inc. Row) RS = \* K to 1<sup>st</sup> before m, <sup>KFB</sup> <sub>yo</sub> MI, K1, SM, inc \*  
 \* Rep across Row doing incs before & after each marker.

Row 3: Purl.

Row 4 (Neckline inc. Row) RS: KFB <sup>(inc)</sup> ~~at~~ & Follow incs. in Row 2. work to last 2 sts, KFB, K1.

For a deeper neckline Rep. Rows 1 & 2 one additional time before doing Rows 3 & 4. so you'd inc every 6<sup>th</sup> Row instead of every 4<sup>th</sup>.

Rep Rows 1-4 or 1-6 until work meas.  $2''$  from CO edge.



\* For curve: Begin shaping 6 Rows before you reach your neck depth measurement  $E = 3''$  for me or 21 Rows total so  $21 - 6 = 15$  Rows. Begin on Row 14. For me. But should begin on a WS Row!

Curved Neck Shaping (infill of sts to make a curve)  
 For me Row 15 or 17.

\* NB Row 1: WS Row

WS - CO 1 st. work to end of row.

RS - CO 1st work to end doing incs. as per usual

\* Repeat these 2 rows once more. (2 new sts at each edge)


Next WS - CO 2 sts work to end.

Next RS - CO 2 sts work to end w/incs as per usual.

Now stop & count.

Do this calculation →

$$\text{Back - Both Fronts} = \frac{22}{16} \text{ sts missing at neckline}$$



- BB no. of sts for Button Bands.

$$= \frac{16}{1} \text{ sts to CO to finish curve}$$

$$\div 2 = \frac{8}{1} \text{ sts to CO onto each front. Rd up or Down as necessary.}$$

\* New CO req. no. of sts from your calculation at Beg of next 2 rows.

STOP & count to be sure your st count is correct.

For V-neck

Keep going with your incs & count periodically to compare numbers for back w/ 2 fronts.

At some point your Back sts will equal no. of sts for both Fronts + BB sts.

Back = \_\_\_\_\_ sts.

LF \_\_\_\_\_ + RF \_\_\_\_\_ + BB \_\_\_\_\_ = \_\_\_\_\_ sts.

When this all works out your neck line shaping is done.

& you can continue to rep. Rows 1 & 2 to underarm.

\* If you keep doing neck incs you get a wrap around. ;)

to check neck Depth

# of sts CO for Back: \_\_\_\_\_

- 4 sts CO for Fronts = \_\_\_\_\_

÷ 2 = \_\_\_\_\_

\* Row Inc Interval (every \_\_\_\_\_ th Row)

= number of rows to

Base of neckline \_\_\_\_\_

working to Underarm:

Goal Sts.

Body

$$A = \underline{22}'' - 1'' = \underline{21}''$$

$$\times \text{ gauge } \underline{5.5} \text{ Sts/in}''$$

$$= \text{Back GOAL STS} = \underline{\frac{115.5}{116}} \text{ Sts.}$$

sleeve

$$B = \overset{7/4}{\cancel{14}^{12}}'' \times 2 = \underline{29}'' - 1'' = \underline{28}''$$

(for total sleeve circ)

$$\times \text{ gauge } \underline{5.5} \text{ Sts/in}$$

= sleeve

$$\text{Goal Sts } \underline{154} \text{ Sts.}$$

or 77 Sts/sleeve.